Care Supplies

SipaMED Professional and Personal Healthcare Catalog 2021-2022





Content

..... 1-2

Rollator

Cover

...... 3-6 **Power Wheelchair** 7-8 **Aluminum Wheelchair** 9-13 **Steel Wheelchair**

..... 14-18

First Aid

..... 19

Commode 20-26 Bathroom Safety 27-31

Walker 32-35 Cane 36-37

Hospital Bed

Mattress 39

Hospital Bed 40-41

Spare Parts 42-43





• CA8864L Aluminum Rollator

- Light weight liquid coated frame without welding
- Reflectors on both sides and front
- 10" front castors & 8" rear castors
- Easily foldable
- · Option: cup holder, cane holder



• CA8860L Aluminum Rollator (Euro-style)

- · Light weight Alu liquid coated frame
- Nylon seat and backrest
- 8" castors, with shopping bag
- Easily foldable
- · Option: cup holder, cane holder



CA8861L • Deluxe Aluminum Rollator

- Light weight Alu liquid coated frame
 - Nylon seat and backrest
 - 8" castors, with shopping bag
 - Easily foldable
 - Option: cup holder, cane holder



- Deluxe Aluminum Rollator
- Light weight Alu liquid coated frame
- Nylon seat and backrest
- 10" front castors & 8" rear castors, with shopping bag
- Easily foldable
- Option: cup holder, cane holder



SPECS(cm) MODEL	Width	Folding width	Seat width	Rear wheel	Front wheel	Seat height	Length	Backrest height	Height	Packaging	Pcs/ctn	Maximum weigre capacity KGS		20FCL PCS	40FCL PCS
CA8864L	64	27.5	46.5	8 "	10 *	55	73.5		83-95	78x29.6x39	1PC/CTN	130	7,1/8,4	305	750
CA8860L	64	25	46	8 *	8 "	47/53	72	24.5-34.5	82-92	75×27×85	1PC/CTN	130	7.1/9.7	160	392
CA8861L	66	31	40	8 **	8."	55	65	20-32.5	81-93	67x34.5x79	1PC/CTN	130	6.1/7.7	151	370
CA8862L	65	25.5	46	8 "	10 "	55	74		81-93	75.5x27x84	1PC/CTN	130	7,0/8.7	161	394





• CA861L Aluminum Rollator

• CA873L Aluminum Rollator

PVC soft seat

· With 6"wheels

Liquid coated frame

 Liquid coated frame With 6"wheels, PVC soft seat • With locking mechanism • Optional shopping bag and basket



• CA8611L Aluminum Rollator

• CA871L Aluminum Rollator

With 5"wheels
 Optional shopping bag and basket

PVC soft seat
 Powder coated frame

 Liquid coated frame With 6"wheels, PVC soft seat With locking mechanism
 Optional shopping bag and basket



• CA882L Aluminum Rollator PVC soft seat
 Liquid coated frame

• With 8" castors • Optional shopping bag and basket



• CA8851L Aluminum Rollator

- PVC soft seat
 Liquid coated frame
- With 8" castors Optional shopping bag and basket





• CA882LW Extra Wide Aluminum Rollator

69

CA682W 74 22 56 8" 8" 55 69 23 78-89 73x22.5x86 IPC/CTN 200 12.3/13.8 195 476

25

Vidth Rear wheel Front wheel Seat Length Height High

8 "

54

- Liquid coated frame Optional shopping bag and basket
- · With 8" wheels Weight capacity: 300LBS

45

22

8."

PVC soft seat

74

SPECS(cm MODEL

CA8851L

CA882LW



 Liquid coated frame
 Optional shopping bag and basket With 8" wheels Weight capacity: 350LBS

?

PVC soft seat	

Height Packaging Pcs/ctn

 \Box

69 25 79-90 61x22.5x86 1PC/CTN 100 8.2/9.7

56 8" 8" 55 69 23 78-89 73x22.5x86 IPC/CTN 150 9.2/10.7 195 478

79-90 61x22.5x86 IPC/CTN 100

SPECS(cm) MODEL	Width	Folding wiath	Seat width	Rear wheel	Front wheel	Seat height	Length	Backrest height	Height	Packaging	Pos/otn	Maximum vergit capacity KGS	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS
CA861L	62	20	44	6 "	6 "	54	52	24	79-90	61x22.5x86	1PC/CTN	100	7/8.5	233	572
CA8611L	61	20	44	6 "	ô "	54	52	25	79-90	61x22.5x86	1PC/CTN	100	6.9/8.4	233	572
CA873L	61	20	44	6 *	õ "	54	62	24	79-90	61x22.5x85	IPC/CTN	100	7.2/8.7	236	579
CA871L	61	20	44	5 "	5 "	53	61	24	78-89	61x22.5x85	IPC/CTN	100	7.2/8.7	236	579



40FCL PCS

PCS

233 572

8.2/9.7



- CA888L Aluminum Rollator
- Liquid coated frame
 Folding footrest for extra comfort Optional shopping bag and basket With 8" castors



- Liquid coated frame
 Folding footrest for extra comfort and armrest
- Optional shopping bag and basket With 8" castors



• CA874 Steel Rollator

 Powder coated frame
 Detachable footrest With 8"wheels



• CA8741L Aluminum Rollator

- Aluminum anodized color frame
 Detachable footrest
- Nylon seat & PU armrest



- CA8880L Aluminum Rollator
- Liquid coated flame frame
 Optional shopping bag and basket • With 8" castors . Folding footrest for extra comfort
- With hand brake

- - CA8854L Aluminum Rollator · Liquid coated flame frame · With 8" wheels With nylon shopping bag

· PVC soft seat



• CA880 Steel Rollator Powder coated frame
 With basket • 8"x2" wheel & PVC seat • Option: tray



- CA8801 Steel Rollator • Powder coated frame • 8"x2" wheel & PVC seat & basket
- · With PU push paddle & brake system · Option: tray

SPECS(cm) MODEL	Width	Folding	Seat width	Rear wheel	Front wheel	Seat height	Length	Backrest height	Height	Packaging	Pes/dn	Maximum veight capacity KGS	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS
CA888L	61	21	44	8 "	8 "	54	92	25	78-89	61 x22.5x86	1PC/CTN	100	8.88/10.38	233	572
CA8882L	61	26.5	44	8 "	8 "	53	92		78-89	61 x22.5x86	1PC/CTN	100	9/10.5	233	572
CA8880L	62	24.5	45	8 *	8 "	47	82.5	23	80-91.5	63.5x26x85	IPC/CTN	100	6.9	196	481
CA8854L	62	23	45	8 "	8 "	47	58	31	77-89	63.5x24.5x79	IPC/CTN	100	6.5	224	549

SPECS(cm) MODEL	Width	Folding width	Seat width	Rear wheel	Front wheel	Seat height	Length	Backrest height	Height	Packaging	Pcs/dn	Maximum weight capacity KGS		20FCL PCS	40FCL PCS
CA874	60	19	43	8.*	8 "	51	92	26	79-89	70x20x75	IPC/CTN	100	11.1	262	643
CA8741L	64	31	48	β"	8 "	49	95.5	30	82.5-95	73x33x85	1PC/CTN	100	9.82/10.2	134	330
CA880	60	24	42	B **	8 "	62	76	Ň,	78.5-91	60x26x71	1PC/CTN	100	11/12.5	248	609
CA8801	60	24	62	8 "	8 "	62	76	N	78.5-91	60x26x71	IPC/CTN	100	11/12.5	248	609







Power Wheelchair



• CA513LF-20

- Motor: 250W*2
- Charger: 29.4V/2A
- Brake System: EABS
- Travel distance: 25-30km
- Sloping ability: 15-20 degree
 8" front & 14"/20" honeycomb tyre
- (shock-absorption)





• CA512F Electric Foldable Scooter

- Aluminum alloy frame
- 6" front & 7.5" rear castors
- Automatic folding system
- Separable front & rear axle, wight 20.6+9KG
- Detachable & separable battery allowed by air travel
- Height adjustable handle
- Adjustable armrest
- Colors: Blue, Red, Black
- Motor: 120W-4450, Controller: PG/45A,
- Charger: DC24V-2A, Electric magnetic brake system
- Travel distance: 12km
- Sloping ability: 12 degree
- Folding method: remote control/button on controller/manual





CA5131LF •

- Motor: 250W*2 .
- Charger: 29.4V/2A •
- Brake System: EABS •
- Travel distance: 25-30km 🔹
- Sloping ability: 15-20 degree 🔹
- 8" front & 10" rear honeycomb tyre *
 (shock-absorption)







Power Wheelchair



SPECS(cm) MODEL	Width	Length	Height	Seat width	Seat depth	Seat height	Rear wheel	Front wheel	Maximum speed	Battery type	Packaging	Maximum seegint capacity KGS	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS
CA501 L	62	102	93	46	40	50	12*	8 *	6km/hr	Acid lead battery 24V/28AH	83x38x96	110	52/59	91	223
CA504L	66	109	99	48	37	51	12 '	8 *	6km/hr	Acid lead battery 24V/28AH	82.5x71.5x81	110	51/58	58	141

	SPECS(cm) MODEL	Width	Length	Height	Seat width	Seat depth	Seat height	Rear wheel	Front wheel	Maximum speed	Battery type	Packaging	Massimum vesight capacity KGS	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS	
			T-			1 T		Ť									
	CA500Q	67	97	96	41	41	52	16 *	7 *	6km/hr	Acid lead battery 12v/20AH*2	74x42x76	100	43/48	113	278	
l	CA500C	59	96	92	45	45	53	12 '	7 *	9km/hr	Lithium battery 24V/20AH	84x50x51	120	24/33	128	315	



• CA504L

· Deluxe vehicle seat

Reclining high back

Detachable footrest

Adjustable PU armrest

• Powder coating aluminium frame

CA501L •

Detachable sideboard • Detachable footrest •

12"pneumatic wheel 🔹

Foldable frame

Powder coating aluminium frame • Adjustable armrest pad •





CA9791LFHQ Deluxe Aluminum Wheelchair

- Light weight Alu liquid frame
- PU armrest
- Breathable and comfortable cushion
- Detachable footrest, foldable backrest
- 8" front castors & 24" rear wheels
- Quick release rear wheel





• CA9869LQ Aluminum Leisure Sport Wheelchair

- Foldable light weight frame
- Angle adjustable front castor
- Breathable, comfortable cushion
- Foldable anti-tipper
- Ergronomic handle
- 24" fashionable sporty rear wheels and 4" front wheels
- Optional: small bag





CA979LFH-12 • Deluxe Aluminum Wheelchair

- Jeiuxe Aluminum vvheelchai
 - Light weight Alu liquid frame PU armrest •
- Breathable and comfortable cushion
- Fixed footrest, foldable backrest
- 8" front castors & 12" rear wheels







• CA9862LFQ Aluminum Functional wheelchair

- Liquid coated frame
- · Height adjustable, front & back adjustable, flip-up, detachable armrest
- Foldable backrest
- · Height adjustable, quick release rear wheels
- With anti-tippers
- Detachable footrest
- Double cross bar

SPECS(cm MODEL

CA9862LFQ 65



• CA9865LFHQ

Aluminum Functional wheelchair

- · Liquid coated frame
- Flip-up & detachable armrest
- Detachable footrest
- 8" front wheel 22" solid rear wheel (quick release)
- Foldable backrest
- Double layer breathable seat & backrest





Detachable footrest

Foldable backrest Double cross bar



Seat Seat Rear wheel Front wheel Seat Length Height HCH INCH INCH Seat Length Height

CA9801LQ • Leisure sport wheelchair

Sporty design with a light weight frame Breathable, comfortable cushion . Foot pad height can be adjusted 🔸

Backrest Packaging Pcs/ctn

46 43 24* 8* 52 100 94 35 78x32x95.5 1 120 16.5/18.5 115 283

CA9801LQ 63 31 41 41 24* 5* 47 99 76 36.5 91x33x78 1 130 12.4/14.5 95 233



Seat Resruted Front theel Seat Length Height Backrest Packaging Pos/ctn height Disk of the packaging Pos/ctn Disk of the packa Seat width SPECS(cn MODEL PCS 40 22* 8* 52.5 106 95 40 79x34x76 1 110 13/15 135 331 CA9865LFHQ 65 29 46 CA9865LFH-12 57.5 26 46 40 12* 8* 53 92 94 41 69.5428.5x765 1 110 12.2/14.4 181 445



20FCL PCS

CA991LB •

Aluminum Wheelchair

- Flip up armrest ,swing away footrest 🔸
- 8" front solid castor, 24" rear Mag wheel 🔹
 - Height adjustable
 - Nylon seat and backrest 🔹

• CA992LB

Aluminum Wheelchair

- Flip up armrest ,swing away footrest
- 8" front solid castor, 24" rear Mag wheel
- Height adjustable
- Nylon seat and backrest
- Double cross bar



CA993LF • Aluminum Wheelchair

- Flip up armrest, swing away footrest 🔹
- 8" front solid castor, 24" PU spoke wheel
 - Folding backrest

SPECS(cm) MODEL	Width	Folding width	Seat width	Seat depth	Rear wheel	Front wheel	Seat height	Length	Height	Backrest height	Packaging	Pcs/ctn	Massimum weight cappacity KGS (Kg)	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS
CA991LB	63	26	46	40	24 *	8*	50	106	88	39	80x28x91	1	100	15.76/17.7	135	331
CA992LB	63	28	46	40	24 "	8 '	50	109	91	41	79x28x93	1	100	15.7/18	134	328
CA993LF	64	29	46	40	24 "	8.*	51	116	94	43	86x30x78	1	100	14.56/16	137	335

• CA994LB

- Aluminum Wheelchair
- Liquid coated frame
- 8" front castor, 24" rear mag wheel
- Flip up armrest, detachable footrest
- Height adjustable





CA995LBQ • Aluminum Wheelchair

- Liquid coated frame
- 8" front castor, 24" rear Mag wheel
- Flip up armrest, detachable footrest
 - Quick release rear wheel
 - Height adjustable armrest 🔹







• CA9671LFH-A Aluminum Light Weight Wheelchair

- Aluminum Light weight frame
 off front solid castor, 20 PU rear wheel
 Aluminum Light weight chair frame
 off front solid castor, 12" PU rear wheel
- Foldable backrest
 With both loop brake and hand braket
 Foldable backrest
- Fixed PU armrest, flip up footres



CA9671LFH-B
 Aluminum Light Weight Wheelchair
 Aluminum Light weight chair frame • 6" front solid castor,12" PU read



CA974LB
 Aluminum Light Weight Wheelchair

• CA965LEH

Powder coated

Aluminum Light Weight Wheelchair

Colored nylon seat
 With loop brake and hand brake

6" front wheel, 22" solid wheel

- 8" Solid wheel, 24" pneumatic wheel With both loop brake
- Fixed armrest and footrest
 and hand brake
- Double cross bar



• CA981LH Light Weight Aluminum Wheelchair

- 8" Solid wheel, 24" PU spoke wheel
 Fixed armrest and footres
- With both loop brake and hand brake
 Double cross bar



- Aluminum Transport Chair
- Colored nylon seat
 With loop brake and hand brake
- Powder coated
 6" front wheel,16" PU wheel
- CL
 SPECS(cm)
 Width
 Folding width
 Seat depth
 Base depth
 Front theme BNCH
 Seat height
 Length
 Height
 Backreat Length
 Packaging Lin
 Pos/ctn
 Manage depth
 NW/CN CS
 20FCL
 40FCL
 PCS

 1
 CA974LB
 62
 27
 45
 40
 24*
 8*
 50
 106
 93
 40
 92x28x89
 1
 100
 16/18
 120
 294

 1
 CA974LB
 63
 30
 41
 44
 24*
 8*
 40
 103
 87
 38
 92x28x89
 1
 100
 13.28
 120
 294

 CA95LEH
 63
 29
 41
 40
 22*
 6*
 44
 102
 85
 40
 90x28x88
 1
 100
 13.44/15
 124
 304

 6
 CA966LEH
 61
 28
 41
 40
 16*
 6*
 444
 97
 84
 40
 86x28x88
 1
 100
 13.44/15
 124



CA963LFH Aluminum Light Weight Wheelchair

- Aluminum Light weight frame
 Folding backrest
- Fixed armrest, Fixed footrest
 6" Solid Castor,
- Double cross bar
 20" Spoke wheel



CA9012LHD

- Aluminum Light weight Transport Chair
- Aluminum Light weight chair frame
 16" Mag wheel with PU tyre
- Fixed armrest, Fixed footrest
 With loop brake and hand brake
 6" Solid Castor

SPECS(cm) MODEL	Width	Folding width	Seat width	Seat depth	Rear wheel	Front wheel INCH	Seat height	Length	Height	Backrest height	Packaging	Pes/etn	Maximum sweight cospacity KGS (Kg)	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS	
CA9671LFH-A	63		46		20 *	6 *	49		91		80x30x72	1	100	12/14.2	159	391	
CA9671LFH-B	65		46		12 *	6 *	49		91		80x30x72	1	100	12.3/14.5	159	391	
CA963LFH	57	28	43	35	20 *	6.*	49	94	92	42	82x28x77	1	100	12.5/14	156	382	
CA9612LHB	57	25	43	35	16 "	6 "	47	93	85	39	85x27x87	1	100	12.15/13	138	338	







• CA9712LFH Aluminum Transport Chair

- Fixed armrest &detachable footrest
- Folding backrest
- Loop brake &hand brake



CA9731LFH•

Aluminum Transport Chair

- Powder coated frame Fixed armrest and detachable footrest • 8" front solid wheel, 12" PU rear wheel •
- Foldable backrest, with loop brake



CA967LHB •

Economic Transport Chair

- Aluminum frame 🔸
- Steel cross bar
- 6" solid castor,12" rear mag wheel
- Fixed armrest & footrest 🔹

SPECS(cm) MODEL	Width	Folding width	Seat width	Seat depth	Rear wheel	Front wheel INCH	Seat height	Length	Height	Backrest height	Packaging	Pcs/ctn ?	Massimum weight capacity KGS (Kg)	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS
CA9866LFH	45	28	36	36	8 *	7 *	47.5	94.5	89	35	57x29x61.5	1	100	7	271	664
CA9784LFH	57	25	48	40	12"	6 "	47	105	86	40	62x27x70	1	100	9.5/11.2	235	576
CA978LFH	54	25	43	40	12 "	6 *	47	98	87	40	64x28x73	1	100	9.6/11.6	210	516

SPECS(cm) MODEL	Width	Folding width	Seat width	Seat depth	Rear wheel	Front wheel	Seat height	Length	Height	Backrest height	Packaging	Pcs/ctn	Maximum useght capacity KGS (Kg)	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS
CA9731LFH	60	27	41	40	12 *	8*	50	103	94	44	67x26x79	1	100	11.11/12.6	200	490
CA9712LFH	59	27	41	40	8 "	8 *	50	103	94	41	64x25x78	1	100	10.5/12.5	220	541
CA967LHB	55	25	43	35	12 *	6 *	48	90	89	40	75x24x93	1	100	10.5/12.5	164	403







Detachable armrest and footrest 🔹 Extra wide, double crossbar 🔸








Flip-up armrest and detachable footrest Extra wide, double crossbar

Seat width: 24" ·









• CA923 Steel Wheelchair

- Chrome frame
- Detachable armrest and footrest



- CA9232 Steel Wheelchair
- Chrome frame
 8"x2" castors,
- Detachable armrest and footrest 24" pneumatic tyre



• CA912BE Economy Steel Wheelchair

- Powder-coated frame
- Fixed armrest, detachable footrest



• CA913 Steel Wheelchair

* Fixed armrest detachable footrest



• CA931BC Steel Wheelchair

 Flip up armrest and
 Powder coated frame detachable footrest
 Double crossbar



• CA932B Steel Wheelchair

Flip up armrest
 Powder coated frame

Detachable footrest



Fixed armrest
Double cross bar
Detachable footrest



• CA926-51 Steel Wheelchair

Powder coated frame
 Double crossbar
 Detachable footrest and armrest

SPECS(cm) MODEL	Width	Folding width	Seat width	Seat depth	Rear wheel	Front wheel	Seat height		Height	Backrest height	Packaging	Pcs/ctn	Maximum weight capacity KGS (Kg)	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS	
CA923	64	28	46	40	24 "	8 "	50	94	39	89	79x27x89	1	100	16.7/18.7	1.45	356	
CA9232	66	25	46	40	24."	8 "	50	104	40	89	79x27x89	1	100	16,76/18.76	145	356	
CA931BC	64	27	46	40	24 "	8 "	49.5	103	43	88	79x28x89	ĩ	100	21.5/23.5	1.40	343	
CA932B	65	28	46	40	24.5 "	8 "	48	82	40	90	79x25x92	1	100	17/19	151	371	

SPECS(cm) MODEL	Width	Folding width	Seat width	Seat depth	Rear wheel	Front wheel	Seat height		Height	Backrest height	Packaging	Pcs/ctn	Maximum weight capacity KGS (Kg)	NW/GW KGS O (Kg)	20FCL PCS	40FCL PCS
CA912BE	63	25	46	40	24 *	8 "	50	104	38	88	79x25x89	1	100	17.5/19.5	1.56	384
CA913	63	24	41	40	24 *	8 *	50	94	40	88	79x23x89	1	100	18.3/20.3	170	417
CA933B	65	29	43	40	24,5 "	8 *	49	112	41	89	79x25x92	1	100	16.5/18.5	151	371
CA926-51	69	27	51	40	24 "	8."	49	108	42	91	80x28x93	1	100	18/20	132	324



E: Powder coated

Frame Color: Black, Grey,

Red, Blue

SPECS(cm)

MODEL

CA902

H: Hand Brake

INCH

INCH

BASIC MODEL



B: Mag Wheel

Length

Height

A: Air Tyre

Backrest Packaging Pcs/ctn

?

Z: Bicycle Tyre

20FCL PCS

40FCL PCS





- Chrome frame, fixed armrest and footrest
- Double cross bar
- 8" castor and 24" rear wheel



Reflector on the wheels

• CA9041-43 Steel Wheelchair

- * Steel chrome frame, with IV holder
- Good quality PVC seat
- * 8" castors, 24" air wheels (or PU wheels)
- * Double cross bar









	CS(cm) ODEL	Width	Folding width	Seat width	Seat depth	Rear wheel	Front wheel INCH	Seat height	Length	Height	Backrest height	Packaging	Pcs/ctn	Maximum weight capacity KGS	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS
							-										
C.	A951E	60	27	41	40	8 ~	8 *	50	93	50	102	71.5x25x91	ĩ	100	12.68/15	172	400
C	A951F	60	27	- 41	40	8 "	8."	50	93	50	102	62x25x76	1	100	12.68	233	573







• CA941 Steel Reclining Wheelchair

Powder coated frame

7

- Detachable armrest and elevating legrest
- 8" castor and 24" rear wheel



CA609GC •

Steel Reclining Commode Wheelchair

- Steel chrome frame
- Detachable armrest and elevating legrest Square seat •



Packaging Pcs/ctn

2

18

1 100 26.66

1 100 24.6/26.6 99

1 100 26.2 96 237

94x32x92

94x33x92

123

40 123 94x33x92

40



Steel chrome frame

Detachable armrest and elevating legrest

A

43

24 "

24 "

8."

54

53

180

180

• "U" shape seat

SPECS(cr

MODEL

CA941

CA609GC

CA608GC



• CA601 Steel Commode Wheelchair

Chrome frame
 6"castor and 24"rear wheel
 fixed armrest and swing away footrest



• CA608 Steel Commode Wheelchair

- Chrome frame
 "U" shape seat
- fixed armrest and footrest



• CA609 Steel Commode Wheelchair

- Chrome frame
 Square seat
- fixed armrest and footrest



- CA609BE Steel Commode Wheelchair
- Powder coated frame
 8"castor and 24"rear mag wheel
- fixed armrest and footrest

SPECS(cm) MODEL	Width	Folding width	Seat width	Seat depth	Rear wheel	Front wheel	Seat height		Height	Backrest height	Packaging	Pcs/ctn	Maximum weight capacity KGS		20FCL PCS	40FCL PCS
CA601	60	46	44	-44	24 "	6 *	52	93	39	91	76x29x92	Ĩ	100	18.5	136	333
CA608	64	30	43	40	24 *	в "	48	105	40	88	92x28x88	1	100	18.48	121	298
CA609	63	24	41	40	24 "	в "	52	106	36	87	92x28x88		100	18,6	121	298
CA609BE	64	24	43	43	24 *	8."	52	106	36	87	92x28x88	1	100	18.5	121	298



20FCL PCS 40FCL PCS

244

96 237

First Aid








CA984LGC • Light weight AluminumReclining wheelchair

- Angle adjustable seat and backrest
 - Adjustable head holder
- Swing away elevating legrest
- 6" front solid wheel, 16" rear PU wheel
 - PU arm pad and legrest pad 🔹



• EW-300/350/1000 Eye Wash Bottle

· 300ml, 350ml , 1000ml optional



•SH-0214 Cool Cushion



• C-200/300 Disposable Cold Pack

200g, 300g optional



EXTRACTOR

SOF

CUSHION

• EX-2/EX-1

• SH-0212

• H-200/300

Disposable Hot Pack

Air Cushion

Extractor

				×	×	
Size(cm)		8x2.6 / 12x2.6	39x41x5	47x45	17x14 / 23x14	17x14 / 23x14
Weight(g)	300ml/350ml/1000ml(volumn)	100	5000	335	200/300	200/300
Pcs/ctn	100/100/50	100	3	24	24	24

Cold Instant

SPECS(cm) MODEL	Width	Folding width	Seat width	Seat depth	Rear wheel	Front wheel	Seat height	Length	Height	Backrest height	Packaging	Pcs/ctn	Maximum veright capacity KGS	NW/GW KGS (Kg)	20FCL PCS	40FC PCS	
CA982LGC	49	25	35	38	16 "	6 "	49	168	112	39	79x28x92	1	100	19/19.8	135	332	
CA984LGC	52		38/40/44		16 *	6 "	49	103	87		77×40×95	1	75	21.4/24.3	94	231	





• CA6203L Aluminum Commode Chair • Aluminum powder coated frame

- PU seat 16"/18", PU armrest & backrest
- · Flip up armrest, swing away footrest
- 5" solid castors
- Tool free KD frame



CA6204L •

Aluminum Commode Chair

- Aluminum powder coated frame •
- PU seat,PU armrest & backrest •
- Flip up armrest, swing away footrest
 - 5" solid castors •
 - Foldable frame •
 - Strong cross bar foldable frame •



Option!

SPECS(cm) MODEL	Width	, D	Seat depth	Seat height	Length	Backrest height	Height	Packaging	Pcs/ctn	Maximum seeght cepacity KGS (Kg)	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS	
CA6206L	54	46	56	54	98	46	106	67x61x49		120	17/19	137	337	
CA6203L	55	46	40	50.5	85	45.5-48	95,5-98	70x33x58	1	120	13.5/15.5	205	504	
C/A6204L	55	46	40	51	89	45-48	93	70x27.5x74	1	120	15.5/17.5	193	474	











- CA614L Aluminum Commode Chair
- Folding footrest Soft PVC seat



- CA613 Steel Commode Chair
- Steel chromed frame
- Flip up armrest and swing

away footrest





- Powder coated frame Detachable armrest & footrest
- CA612 Steel Commode Chair Powder coated frame
- · Fixed armrest and folding footrest

Aluminum Commode Chair

Aluminum frame

away footrest

· Flip up armrest and swing



- CA662 Steel Commode Chair
- Height adjustable · PE seat



- CA615 Steel Commode Chair
- Steel chrome frame · With 3" wheels



- CA616 Steel Commode Chair
- Steel chrome frame







- CA613-Luxury • CA613L Steel Commode Chair
- · Steel powder coated frame
- · Flip up armrest and swing away footrest
- Deluxe silent castors

										CALCULATION OF A DATE OF A				
SPECS(cm) MODEL	Width	Seat width	Seat depth	Seat height	Length	Backrest height	Height	Packaging	Pos/otn	Maximum weight cooperity KGS (Kg)	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS	
-														
CA614L	56	45	42	53	84	36	96	49x24x67	1	100	8.2/9.2	349	857	
CA611	55	44	44	51.5	82	37	92	54x53x53	1	100	12.3/13.8	181	445	
CA612	54	44	44	47	74	33	83	52x26x66	1	100	12.3	308	756	
CA613	57.5	44	44	50.5	111	44.5	92	54x53x57	1	100	12.3/13.8	169	414	
CA613-Luxury	57.5	-44	44	50.5	0.00	44.5	92	54x53x57	(L. 1)	100	12.3/13.8	169	414	
CASIS	55	46	1 20	50	70	40	03	54-53-57	30	100	11.4/12.4	160	241.4	



- CA6621 Steel Commode Chair
- Steel Chromed frame
- Easy folding



• CA615L

· Easy folding

· 3" wheels

- CA616L Aluminum Commode Chair
- Easy folding PE seat

	ECS(cm) IODEL	Width	Seat width	Seat depth	Seat height	Length	Backrest height	Height	Packaging	Pcs/ctn	Mammum nenghi capacity KGS	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS
	CA662	56	43	43	44-54	54	33	77-88	53x26x80	4	100	7	249	612
	CA615	55	46	40	44-51	54	33	74-84	50x19x77	1	100	5.22/6.3	376	923
	CA616	55	46	40	41-51	51	35	74-84	50x19x77	1	100	6.5/7.4	376	923
	CA6621	41		42	44-60	51	33	76-92	58x23x78.5	1	100	6.8/8	263	645
0	CA615L	55	45	40	47	49	31	77	50x19x77	1	100	5.2/6.2	376	923
-	CA616L	53	46	42	46-56	52	7	73.5-83.5	50x21x76	1	100	3.5/5	345	846

Aluminum Commode Chair





- •CA618 Steel Commode Chair
- Folding frame
- Height adjustable

• CA618A Steel Commode Chair

- · Powder coated frame Height adjustable
- CA6181

Steel Commode Chair

- Soft PVC seat
- Easy folding



- Steel Commode Chair
- Fixed frame
- Height adjustable



- Steel Commode Chair
- Tool free KD frame Height adjustable
- CA693 Steel Commode Chair
- Foldable frame
- Comfortable PE seat



- Steel Commode Chair
- . Fixed frame . Padded seat
- CA6997 Steel Commode Chair · Powder coated frame
 - · PVC seat
 - Height adjustable



- CA620L Aluminum Commode Chair
- Detachable armrest
- PVC seat
- · Height adjustable





- CA691L
 - Aluminum Commode Chair
- Soft PVC seat
- Easy folding
- Good stability



- CA6996L
 - Aluminum Commode Chair
- Easy folding
- Height adjustable
- PE seat

PECS(cm) MODEL	Width	Seat width	Seat depth	Seat height	Length	Backrest height	Height	Packaging	Pos/ctn	Maximum seeight capacity KGS (Kg)	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS
CA668	64	46	40	43-58	46	20	62-77	66x66x66	4	100	6	383	939
CA6521								56x56x32	2	100		548	1345
CA693		45.5	45	31-40.5	69	44	56-64.5	80x51x53	2	100	12.6/14.6	254	624
CA691L	58	40	42	43-50	60	38.5	83-90	58x23x88	1	100	4.88/5.6	234	575
CA6995	59	47		43-47	58		88-93	101x29x60	31	100	8,4/9,8	156	384
CA6996L	49		44	46-51	59	40	85-90	102x30x62	2	100	9.8	290	712

Powder coated frame

Easy folding

PVC seat







- CA6642L Aluminum Commode Frame
- Powder coated frame
- Height adjustable



- CA6642 Steel Commode Frame
- Powder coated frame
 Height adjustable



- CA6511L
 Aluminum Commode Chair
- Height adjustable




Steel Commode Chair

• CA699W Steel Commode Chair



Steel Commode Chair

SPECS(cm) MODEL	Width	Seat width	Seat depth	Seat height	Length	Backrest height	Height	Packaging	Pcs/ctn	Masunum seeight capacity KOS (Kg)		20FCL PCS	40FCL PCS
CA697	39	-1	.1.	45.5	40			66x20x41	2	100	2.4	1016	2494
CA697A	39	1	1	45.5	40			66x20x41	2	100	2.4	1016	2494
CA698	39	()	1	40	40			76x30x40	6	100	1.5	1809	4441
CA699	54	43	40		50	36	78	79x43x55	4	100	4.16	589	1445
CA699W	60	43	40	49	59	39	82	80x30x60	2	100	6.4	382	938
CA6981/6982		38	41	39	42		80	75.5x33x38.5	2	100	6.8/7.7	573	1407







(**P**sipa[®]

40FCL PCS

1218

619 1519

496

NW/GV KGS

100

20FCL PCS










40FCL PCS

1648

2039 1417



CA3522L

49



36-54

48

71-89

69x36x46

2.78

1203

2954




Aluminum shower chair

SPECS(cm) MODEL	Width	Seat width	Seat depth	Seat height	Length	Backrest height	Height	Packaging	Pos/ctn	Maadmunn velight capperity KGS (Kg)		20FCL PCS	40FCL PCS
CA343L	32				32		35-53	50x38x26	ô	100	1.22	3340	8198
CA3432L	33	32	32		35		38-55	36x15x46	2	100	1.54	2214	5435
CA343LW	32				32		35-53	50x38x26	6	100	1.5	3340	8198
CA3552L	51	40	33	33	44		41-53	52×47×44	2	100	2.8	511	1255
CA355L	51	40	33	33	44	41-53	73-85	60x28x45	2	100	3.2	728	1786
CA3553L	51		37	41	41	34-44	73-83	59x49x75	2	100	3.7	254	623

Aluminum shower chair









- CA3602L Alu Transfer Bench
- Detachable armrest
- Suction cup rubber tips
- CA360L
 - CA362L Alu Transfer Bench
 - Detachable armrest
 - · Suction cup rubber tips

SPECS(cm) MODEL	Width	Seat width	Seat depth	Seat height	Length	Backrest height	Height	Packaging	Pos/otn	Maximum weight tepporty KGS (Kg)	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS
CA3631L	51		42	38	64	46-56	84-94	80x52x56	2	100	6.5	236	579
CA363L	67.5	62	41	39	48.5	46-56	83.5-93.5	72x52x86	1	100	5.72	85	210
CA3602L	61	47.5	41	46-56	53	38.5	84-94	59×55×50,5	2	250	4.81	336	824
CA360L	77	70	41	39	53	43-53	81-91	80x22x45	2	100	4.68	694	1705
CA362L	81	70	41	35	55	46-56	81-91	81x46x46	2	100	4.4	321	788

Alu Transfer Bench

· Suction cup rubber tips

Fixed armrest



• CA351LW-KD

Aluminum Shower Chair

Heavy duty

PE seat

KD frame



• CA342LW-KD

Aluminum Shower Chair

Heavy duty

PE seat

KD frame

• CA371LW

PE seat


Fixed frame

Aluminum Shower Chair

Heavy duty











SPECS(cm) MODEL	Width	Folding width	Length	Height	Packaging	Pcs/ctn	Maximum weight capacity KGS (Kg)	NW/GW KGS (Kg)	20FCL PCS	40FCL PCS
CA812LXS	55		42	48.5-58.5	53x18x52	2	100	3.6/4.6	1109	2721
CA821LS	56	10	44	64-81.5	57x27x70	4	100	2.5	1021	2506
CA8244L-3	35	10	56	41-51	59x30x62	2	100	52./6.2	501	1230
CA8241L	62		39	51-61	52.5x22x63	2	100	2.9/3.9	756	1855
CA8246L	34		35	75-82	43x14.5x76.5	2	100	3.2/4	1153	2830







Cane



	-							¥	
• CA851L2	• CA851L3	• CA851L5	0 (CA852L	1 0	CA852	L1-N	• CA	852L2
• CA85		7	G CA838	L	• 0	A853	4	• CA	853-N
Ĩ		SPECS(am) MODEL	Height	Packaging	Pcs/ctn	Masemum vesight capacity KGS (Kg)	NW/GW KGS Q (Kg)	20FCL PCS	40FCL PCS
		CA831L3	67.5-90	69x16x28	20	100	0:3	17792	43672
		CA833L1	67.5-90	66x16x28	20	100	0.3	18601	45657
	Option:		67.5-90	66x12x28	20	100	0.3	24802	60877
		CA833L3	67,5-90	66x16x28	20	100	0.3	18601	45657
				72x17x36	20	100	0.3	12482	30637
		CA833L5	67.5-90	66x16x28	20	100	0.3	18601	45657
		CARDAL F		79-99-10	00	100	0.2	10100	20004

CA834L1 70-93 72x33x19 20 100 0.3 12183 29904 CA834L2 | 70-93 | 79x31x19 | 20 100 0.3 11820 29013 CA834L3 70-93 72x33x19 20 100 0.3 12163 29904
 CA834L4
 70-93
 80x31x19
 20
 100
 0.3
 11672
 28650

 CA834L5
 78-100
 81x19x32
 20
 115
 0.3
 11168
 27412

 CA835L1
 70-93
 63x17x29
 20
 100
 0.34/8.3
 17708
 43466

 CA835L2
 79.5-87
 63x17x29
 20
 100
 0.34
 17708
 43466

 CA835L2
 79.5-87
 63x17x29
 20
 100
 0.34
 17708
 43466

 CA851L1
 81-104
 106x30x30
 20
 100
 0.52
 5765
 14151

 CAB5L2
 81-104
 106x30x30
 20
 100
 0.52
 5765
 14151

 CA85L3
 81-104
 106x30x30
 20
 100
 0.52
 5765
 14151
 CA851L5 81-104 106x30x30 20 100 0.52 5765 14151 CA852L1 95-126 96x30x30 20 100 0.56/11.84 6366 15625 CA852L1 95-126 96x30x30 20 100 0.56/11.84 6366 15625 CA852L1-N 95-126 96x30x30 20 100 0.56/11.84 6366 15625
 CA852L2
 87-117
 86x30x30
 20
 100
 0.5/11.22
 7106
 17442

 CA854L
 94-120
 96x31x37
 20
 100
 0.58
 4995
 12260
 CA856LL | 104-134 | 106x31x37 | 20 | 100 | 0.66 | 4292 | 10534
 CA856LM
 94-124
 96x31x37
 20
 100
 0.64
 4995
 12260

 CA856LS
 84-114
 67x31x37
 20
 100
 0.62
 5512
 13529

 CA856LX8
 64-91
 71x31x37
 20
 100
 0.54
 6754
 16577

 CA836L
 94-117
 27x18x102
 6
 100
 7.2/8.5
 3328
 8170
 CA853 119 42x12x26 20 100 0.18 41872 103022
 CA853-N
 119
 42x12x26
 20
 100
 0.18
 41972
 103022


 CA836
 84.5
 85x27x41
 10
 100
 0.84
 2923
 7174

 CA8332L
 75-98
 70x43x32
 20
 100
 0.547/12.2
 5710
 14016

 CA8391
 71-93.8
 638x64.5x17.6
 10
 130
 0.24
 4541
 11145
 CA8392 81-91 545x345x20 10 130 0.26 7313 17950



Cane





Hospital Bed





• CA-BT602M 2-Function Manual Hospital Bed

- Size:2125x970x540mm
- Packing size: 205x97x26cm (main part/2pcs). 95x54x10cm (head & foot board/1pr)
- Max loading:180KG(400lb) in movement
- · Material:steel electrostatic spraying
- Backrest tilting From 0°to 75°±5°
- Footrest tilting From 0°to 40°±5°
- Accessories: 4pcs 5" standard castor two with brake 1 pair aluminum side rail 2pcs ABS head and foot board
- 4pcs urine hooks 2pcs cranks system
- · Option: I.V pole, mattress, over bed table, bedside locker

• CA-BT603M 3-Function Manual Hospital Bed

- Size: 2125x970x430-790mm
- Packing size: 205x97x30cm/1pc
- Max Load:180KG(400lb) in movement
- Material: steel electrostatic spraying
- Function: Backrest tilting From 0° to 75° ±5° Footrest tilting From 0° to 40° ±5° Hi-lo function
- · Accessories: 4pcs 5" silent castor all with brake, 1 pair aluminum side rail, 2pcs ABS head and foot board, 4pcs urine hooks, 3 sets crank system, 4pcs Dust cover
- · Option: I.V pole, mattress, over bed table, bedside locker

• CA-BT603E 3-Function Electric Hospital bed

- Size: 2125x970x430-830mm
- Packing size: 205x97x30cm (main part/1pc),
- 95x54x10cm (head & foot board/1pr)
- Max Load:180KG(400lb) in movement
- · Material: steel electrostatic spraying
- Backrest tilting From 0° to 75° ±5°
- Footrest tilting From 0° to 40° ±5
- Sit Position function
- Hi-lo function Handset

Accessories:

- 4pcs 5" silent castor all with brake, 1 pair aluminum side rail, 2pcs ABS head and foot board, 4pcs urine hooks,1set MOTECK motor, 1pc Electric cable holder, 4pcs Dust cover
- Option: I.V pole, mattress,over bed table, back-up battery, bedside locker



11000

• CA605E-W 5-Function Electric Hospital Bed

- Easy and fast assembly without tools, designed
- for 1 person delivery and assembly
- · Mechanical height adjustment of footrest in 3 positions
- Backrest tilting from 0°-70°
- Footrest tilting from 0°-30°
- Full motorized bed adjustment 0-12°
- Electrically operated height adjustment
- 385-810mm, stroke 425mm
- · 4 individually lockable castors
- · Handset with single fault safety and locking device
- Protection class IPX4
- · Max Patient weight: 185kg
- Safe working load: 220kg





RACKREST TH TING

A

BACKREST TILTING≥

Voltage:

> 110V

> 220V

> 240V

1èn

1èn

1

Frequency:

> Normal: 50Hz

> Special: 60Hz

Mattress



• CA-BT303(8CM)

- Size: 1950x840x80mm
- Material:waterproof Oxford fabric+High density foam+coconut fibre
- With Exhaust hole



Material: High density foam+Coconut fiber+Oxford fabric



·CPR Optional ·Cover Optional ·Flaps Optional

Pump



1 Free Spare Cell

• CA-88QD Air Mattress

- Nylon Color: Jewelry Blue
- Accessories: repair kit, 1 Free spare cell
- Cell and base material: Nylon+PVC
- Test Duration: 24 Hours(Inflation)
- Pressure Ulcer Stage: I,II
- Mattress System: Overlay

18 cells

- Size: 200x90x11.5cm
- Packing size: 60x36x28cm/2pcs
- Cell height: 11.5cm/5"
- With CPR, flaps, PU cover
- Weight Support: 160Kg

Size: 200x86x9.5cm

· Cell height: 9.5cm/4"

Weight Support: 140Kg

20cells

IS

· Packing size: 49x38x34cm/2pcs

- Power consumption: 7WFuse: 1A
 - Dimensions(L×W×H): 29×12×10 cm
 - weight: 1.4kg

Power supply:110V/220V 50Hz/60Hz

• Pressure range: 50-120 mmHg

Air output: 7-8L/minCycle time: 12min.



Adjustable hangers to suit any kind of hospital bad frame

• CA-BT306L/X Air Mattress

- Size: 200(L)x90(W)x7.0(H)cm
- Packing size: 52.5x29x38cm/6pcs
- 130 bubble with end flaps
- Accessories: repair kit, 1.5M hose
- Material: medical class Taiwan Nanya PVC K80
- PVC thickness: 0.3mm
- Color: beige, blue
- Mattress weight: 1.8-2.1kg
- Weight Capacity: 120-130kg



Miscellaneous





Miscellaneous






Spare Parts



• Rear wheels for wheelchair



Castors



Commode



÷		
N1 3" solid castor set without brake	W5 4" solid castor s	set(quiet) W9 5"SS fork castor
V2 3" solid castor set	W6 5" solid castor s	set(good quality) W10 3" ABS castor(good quality)
N3 4" solid castor set	W7 5" solid castor s	set(good quality) W11 3" ABS castor(good quality)
V4 4" solid castor set	W8 5" solid castor s	set(good quality) W12 2" castor for over bed table

R1	24" solid rubber wheel	R6	24" wheel	F2	6" PVC castor	F7	8" PU castor	E12	Soft rubber fashion: 6", 8", 10"
12	24" PU wheel	R7	12" TPR wheel	F3	6" PU castor(grey)	F8	8" PVC castor(strong)	F13	8" big soft rubber castor
R3	24" pneumatic wheel	R8	12" PU mag wheel	F4	6" PU castor(black)	F9	8"x2" PVC castor	F14	10" big air castor
R4	24"mag wheel with PU tyre	R9	16" PU mag wheel	F5	8" PVC castor	F10	8"x2" TPR castor		
R5	24" Mag wheel	F1	5" PVC castor	Fő	8" PVC castor(flat)	F11	8"x2" PU castor		

Spare Parts



Wheelchair Upholstery Color



• Frame Color



Wheelchair Function Picture



SipaMED Professional and Personal Healthcare Catalog 2021-2022

Thank You

For additional information visit us at www.sipamed.com

Sipa, and ™ are trademarks owned by SipaMED or one of its affiliates. US and non-US Patents Pending: www.sipamed.com © 2021 SipaMED. All Rights Reserved.

Neither this document nor any other statement made herein by or on behalf of SipaMED should be construed as a warranty of merchantability or that any SipaMED product is fit for a particular purpose. SipaMED assumes no responsibility for the suitability or adequacy of an end user's selection of gloves for a specific application.

